


All substitutionary parts for BUGLO's products are available at producer's during whole use period (working life) of the product.

Necessary toolset for the assembly of the product:


- Box wrenches nr 10, 13
- Hex wrenches
- Electrical screwdriver
- Drill nr 6, 8
- Mallet rubber (rubber hammer)
- Tools used to making holes in the ground/surface
- Level

PARTS LIST		
ELEMENT	TOTAL NR	PART NAME
1	1	Column and a mechanism for lifting
2	1	Main plate 1
3	1	Bowl module 1
4	1	Bowl module 2


Definition of anchoring depth



Definition of safety zone



Arrangement of the foundation plates/blocks



Notes for the assembly

The order of assembly

- 1) Assembly of the product section according to the diagram:
 - a) the assembly of the main plate to the column
 - b) the assembly of the bowl modules
- 2) Dig the mounting holes.
- 3) Install the elements in the holes.
- 4) Concreting.

During the assembly pay attention to: vertical columns setting, tightening all screws, securing and marking mounting location. Before putting device into use it's required to check the stability of all elements, remove protecting tapes and check level and the condition of the amortization surface.

Product installation, conservation and replacement of elements pose a threat for playing children, which is why it is required to mark and secure the assembly space. Such security must guarantee no access to the work space both during and after work. Main threats can be caused by electrical devices and tools, deep foundation holes and incomplete product sets.

During the installation it's required to ensure the assembly space to be about the same size as the safety zone of the equipment. You must pay attention to the direction of the location of the slide made of stainless steel. The steel part of the slide cannot be directed to the south because it may get heat (very hot).